


# Talking With Your Healthcare Provider About Treatment Options for Factor X Deficiency

Living with hereditary factor X deficiency can be a challenge. Until recently, the treatments available were designed for other diseases and contain larger amounts of other proteins, such as factors II and IX, in addition to factor X.

Taking these extra proteins when you don't need them can cause blood clots that may block blood vessels and cause serious injury (for example: stroke or blood clots in the lung or leg).




Other treatments for factor X deficiency

## **COAGADEX® (Coagulation Factor X [Human])— the first and only treatment specifically for hereditary factor X deficiency**

With COAGADEX, you can **replace exactly what's missing**.

- COAGADEX is a high-purity product that contains more than 94% factor X
- With COAGADEX, you get the factor X you need without a lot of other proteins that you don't need



**COAGADEX—  
94% Factor X**

## **Ask Your Provider if COAGADEX is Right for You**

If you want to talk to your healthcare provider about COAGADEX, this sheet can help. Answer the questions on the back side of this page, show it to your provider, and tell them that you'd like to talk about whether COAGADEX is right for you.

To learn more about COAGADEX, visit [coagadex.com](http://coagadex.com). There you can join our factor X community and stay up-to-date with the latest information on COAGADEX and factor X deficiency.

## **INDICATIONS FOR COAGADEX**

COAGADEX, a plasma-derived blood coagulation factor X concentrate, is indicated in adults and children (aged 12 years and above) with hereditary factor X deficiency for:

- On-demand treatment and control of bleeding episodes
- Perioperative management of bleeding in patients with mild hereditary factor X deficiency

## Limitation of Use

Perioperative management of bleeding in major surgery in patients with moderate and severe hereditary factor X deficiency has not been studied.

**Please see Important Safety Information on the other side of this page and the full prescribing information attached.**

# Finding the Treatment That's Right for You

**Answer the following questions, then show the sheet to your healthcare provider and ask whether COAGADEX is right for you.**

**1.** How often do you have a bleed? \_\_\_\_\_

**2.** How satisfied are you with your current activity level?

Very satisfied     Somewhat satisfied     Not sure     Somewhat unsatisfied     Very unsatisfied

Why? \_\_\_\_\_

**3.** What are your treatment goals? \_\_\_\_\_

**4.** How satisfied are you with your current treatment in helping you meet your goals?

Very satisfied     Somewhat satisfied     Not sure     Somewhat unsatisfied     Very unsatisfied

**5.** What questions or concerns do you have about your current treatment? \_\_\_\_\_

**6.** How interested are you in trying COAGADEX?

Very interested     Somewhat interested     A little interested     Not interested     Not sure

Why? \_\_\_\_\_

Did you know that BPL, the maker of COAGADEX, has resources that may help you pay for COAGADEX? To learn more, visit [coagadex.com](http://coagadex.com)

## IMPORTANT SAFETY INFORMATION FOR COAGADEX

COAGADEX is contraindicated in patients with known hypersensitivity to any of the components of the product.

Allergic type hypersensitivity reactions, including anaphylaxis, are possible with COAGADEX. If symptoms occur, patients should discontinue use of the product immediately and contact their physician.

The formation of neutralizing antibodies (inhibitors) to factor X is a possible complication in the management of individuals with factor X deficiency. Carefully monitor patients taking COAGADEX for the development of inhibitors by appropriate clinical observations and laboratory tests.

COAGADEX is made from human plasma and may contain infectious agents, e.g. viruses, the variant Creutzfeldt-Jakob disease (vCJD) agent and, theoretically, the Creutzfeldt-Jakob disease (CJD) agent. No cases of transmission of viral diseases, vCJD or CJD, have been associated with the use of COAGADEX.

In clinical studies, the most common adverse reactions (frequency  $\geq 5\%$  of subjects) with COAGADEX were infusion site erythema, infusion site pain, fatigue and back pain.

**Please see accompanying Full Prescribing Information for complete prescribing details.**

**Coagadex®**  
Coagulation Factor X (Human)

April 2017 US/X/0517/0017

**bpl**  
Bio Products Laboratory  
*a commitment for life*